






Black & Decker



 When America has a job to do,
it reaches for Black & Decker.™



CAR CARE™

12 volt Car Care products . . . operate from your vehicle's 12 volt battery & provide the power even the toughest jobs demand.



9510

9510 CarVac™ 12 Volt DC The CarVac™ 12 Volt DC vacuum is a powerful, handy, vacuum cleaner used to help keep your car interior and trunk clean. Use it in vans, campers, and in boats, too—anywhere you have a 12 volt battery. Plugs into a 12 volt cigarette lighter socket and has a 16 ft. cord for access to trunk and other areas. Has an aerodynamically designed nozzle and a powerful motor with strong suction resulting in superior vacuum cleaning performance. Its lightweight and compact design allows it to reach into small areas—an upholstery brush and crevice tool are included too. Cord and plug storage areas prevent tangling or damage when the tool is not in use. Has a permanent, reusable, washable filter bag. UL listed. 12.6V, DC, 4 amps, 1-1/2 lbs. net weight. 2 YR. HOME USE WARRANTY.



9512

9512 CarLite, 12 Volt DC The B&D 12 Volt DC CarLite is a valuable utility and emergency light for car, van, camper, truck, or boat. A powerful sealed beam serves as a spotlight, trouble light, and emergency flasher. It has a strong beam for long distance use without sacrificing beam width for close illumination. A three-way switch allows you to select a constant beam or a rugged, built-in automatic flasher that provides a reliable emergency signal; a red plastic lens snaps over the normal lens for emergency use. A hanger and angle height adjuster position the light to beam toward the work area. A front guard protects the bulb and keeps beam heat away from close objects. Includes a 12 ft. cord to reach where you need it; plugs into the cigarette lighter socket for 12V DC power. Has a cord wrap area for convenient cord and plug storage. 12.8V DC, 1-1/2 lbs. net weight. 2 YR. HOME USE WARRANTY.



9515

9515 Inflator Portable air source for tires, sportballs, air shocks, etc. High performance economical unit. Powerful—rated up to 200 P.S.I. Operates from 12 volt cigarette lighter socket. Includes sportball and recreational inflation nozzles. 12.6V DC, 4.5 amps, 2-1/4 lbs., 2 YR. HOME USE WARRANTY.



9517

9517 Inflator 200 Portable air source for tires, sportsballs, air shocks, etc. Powerful—rated up to 200 P.S.I. Pressure constantly indicated on gauge. Operates from 12 volt cigarette lighter socket. Convenient cord and hose storage. Includes sportball and recreational inflation nozzles. On/Off switch. 12.6V DC, 4.5 amps, 2-1/2 lbs., 2 YR. HOME USE WARRANTY.



9519

9519 Inflator 200 Deluxe Portable air source for tires, sportballs, air shocks, etc. Powerful—rated up to 200 P.S.I. Pressure constantly indicated on gauge. Operates from 12 volt cigarette lighter socket. Convenient cord and hose storage. Includes handy storage case, sportball and recreational inflation nozzles. On/Off switch. 12.6 V DC, 4.5 amps, 2-1/2 lbs., 2 YR. HOME USE WARRANTY.

9530 8" Random Orbit

Polisher This 8" Random Orbit Polisher is designed for polishing cars, boats, trucks, campers. Its random orbiting action simulates the circular natural movement of hand action. It won't burn or mar surfaces either. The tool is double insulated, so no grounding is necessary. It has an extra large bearing in the random orbit head drive to increase longevity and reliability. The Random Orbit Polisher includes a polishing bonnet, 2 foam bonnets for polish application and removal, 6 ft. cord. The polisher has a 1/3 hp (maximum motor output) motor that operates at 2500 orbits per minute. 120V AC only, 3 amps, 5-7/8 lbs. net. 2 YR. HOME USE WARRANTY.



9530



9533

9533 8" 3/4 HP Random Orbit Polisher Powerful 3/4 hp motor makes quick work of waxing & polishing. Simulates hand polishing producing professional results without burning or marring the finish. Auxiliary handle, 2 speeds. Includes 2 foam bonnets, polishing bonnet, 6 ft. cord, 120V AC, 4 amps, 6-1/8 lbs. net. 2 YR. HOME USE WARRANTY.



9514

9514 Spark Plug Cleaner, 12 Volt DC Removes chemical deposits & residues improving plug performance. For plugs on most cars & other engines. Cleans plug in 30 sec. Plugs into 12 volt cigarette lighter socket. 10 ft. cord. Includes cleaning media, filters, gapping tool. 12.6V DC, 1-3/4 amps, 2 lbs. 2 YR. HOME USE WARRANTY.



9518

9518 1/2" Impact Wrench, 12 Volt DC 1/2" impact wrench takes the hard work out of changing tires. Clips onto 12V battery with 17 ft. cord. Up to 100 ft. lbs. of torque power, 1/2" square drive. Ball & sleeve bearings. 1100 impacts per minute. 12.6V DC only, 19 amps, 7-5/8 lbs. net. 2 YR. HOME USE WARRANTY.



9542

9542 1/2" Electric Impact Wrench Most economical 1/2" square drive electric impact wrench available. Up to 120 ft. lbs. torque to change tires and make quick auto repairs. Forward & reverse operation. Double insulated. 6 ft. cord, 120V AC only, 4 amps, 1300 impacts/min. 6 lbs. net wt., 2 YR. HOME USE WARRANTY.



9545

9545 1/2" Electric Impact Wrench 1/2" square drive. Powerful. Up to 240 lbs. torque for use on wheel lugs. Rocker switch "rocks" tight nuts & bolts loose. Shunted brush system hinders brush failure. 6 ft. cord. Ball & sleeve bearings. Double insulated. 120V AC/DC, 7.5 amps, 2700 impacts/min. 6-7/8 lbs., 2 YR. HOME USE WARRANTY.



9537



9531

9537 6" Sander/Polisher An economically priced sander/polisher that sands rust spots and body filler. Converts to polisher. Includes backing pad, sandpaper disc & polishing bonnet. Double insulated. 6 ft. cord, 1/3 hp, 120V AC only, 3 amps, 2500 rpm, 3-3/8 lbs. 2 YR. HOME USE WARRANTY.

9531 7" 3/4 hp Sander/Polisher Versatile... refinishes & polishes. Sands off rust, body filler & paint. 3/4 hp, two speed motor: high sands; low polishes. Includes backing pad, sandpaper disc & polishing bonnet. 120V AC, 4 amps, 6 ft. cord, 4-3/8 lbs., 2 YR. HOME USE WARRANTY.



Bench Tools

9415 1/2" Electronic Drill Press This drill press operates electronically with a half-wave analog feedback and variable speed control to maintain full power levels at predetermined speeds under varying loads. The power head swivels 360 deg. for drilling large objects located off of the workbench. Rack and pinion gearing and an oversized tri-handle with large knobs combine to aid in drilling. A 6" throat capacity allows drilling to the center of a 12" circle. The ribbed die cast aluminum base is slotted for accessory mounting and has a provision for bench mounting. The column is 22" zinc plated heavy gauge steel. 250-550 rpm, 12" vertical capacity under the chuck, 3" chuck travel & 1/2" chuck capacity. Capacity: 1/2" steel, 1" wood. 120V, 50-60 hz. 3.3 amps max. 15-3/4 lbs. 2 YR. HOME USE WARRANTY.

9414 3/8" Variable Speed Drill Press The 3/8" Variable Speed Drill Press operates from 0 to 3000 rpm for accurate drilling. Two speed gear box: light & heavy duty. Rack & pinion gearing, 3/8" chuck, 6" throat, 120V, 50-60hz, 3.75 amps, 12-7/8 lbs. 2 YR. HOME USE WARRANTY.



9415



9413

9413 Electronic Computer Controlled Drill Press Built-in micro-computer. Responds instantly to commands & communicates data through a digital display. 400 to 900 rpm (heavy duty), 1200 to 2700 (light duty). 10" vertical capacity, 6" throat, 3/8" chuck capacity, 3" chuck travel, 18" column, includes vise, 120V, 60 hz, 3.3 amps max., 17-3/4 lbs., 2 YR. HOME USE WARRANTY.

7912 5" Bench Grinder Polishes, cleans & grinds. Sharpens knives, mower blades, chisels & hatchets. Includes: water tray, 15 watt ball-swivel lamp, 3/4" wide 5" coarse grit grinding wheel, 4" fine wire wheel brush, tool rests, wheel guard covers, eye shields, spark guards, & rubber feet. 120V, 60 hz, 2.6 amps, 3600 rpm, 6 ft cord, 9-3/4 lbs., 2 YR. HOME USE WARRANTY.

7901 5" Bench Grinder 10" wide wheel spread. Includes: 1/2" x 5" medium grit wheel, 1/2" x 5" coarse grit wheel. 2.2 amps, 3600 RPM, 6 ft cord, 120V, 60 hz, 8-3/4 lbs., 2 YR. HOME USE WARRANTY.




9412


9412 The Finishing Machine™ Bench Grinder & Sander Best grinding wheel and disc sander features for metal & wood material removal. Sharpens knives, mower blades, chisels & hatchets. Adjustable table & mitre gauge permits precision sanding. Spark arrester over the grinding wheel with shatterproof plastic eye shield. Removable water tray. Includes a 5" x 3/4" medium grinding wheel & 1 adhesive backed sanding disc. 15 watt swivel lamp. 120V, 60 hz, 2.8 amps, 3600 rpm, 6 ft cord, 11 lbs. net, 2 YR. HOME USE WARRANTY.



7912



7901



9419

**FULL 2 YEAR
HOME USE
WARRANTY**

9419 8" Table Saw This is a big bench mounted table saw for rip sawing, cross cutting, mitreing, and bevel cutting. Features quiet running, powerful and durable 1 hp induction motor (max. motor output). It handles large cutting jobs with ease (can slice through a dressed 2" x 4" at a 45 deg. angle quickly and accurately.) Cuts through 1-3/4" at 90 deg. The table saw includes an adjustable rip fence and a convenient mitre gauge. Extension wings on the table give a flat table that is 29-1/2" wide by 15-3/8" deep. Blade (and motor) tilt from 0 to 45 deg.; a calibrated scale shows the angle of tilt. Blade height is adjustable so that the proper and safe cutting height can be set. Provisions are made for a dado head. Pull-push on-off switch, 120V, 60 hz, 7.5 amps, 31-1/2 lbs. 2 YR. HOME USE WARRANTY.

74-550 Bench Tool Stand Sturdy stand for B&D and other bench-mounted power tools. Holds 200 lbs. Top can be set to 16" x 16" or 16" x 24". Steel legs adjust to 30, 32, 34, or 36" heights. Rubber grommets on feet.



9416



9421

9416 Rotary Hobby Shop™ Rotary Power Tool For hobbies, crafts, & working in tight spaces. 0 to 19,000 rpm variable speed motor with a flexible shaft & contoured handpiece. Precisely shapes, carves, sands, grinds, cuts, drills, etches, deburrs & polishes wood, metal, ceramics & other materials. Includes 35 accessories in revolving storage carousel. 120V, 50-60 hz, 1.8 amps, double insulated, 3-7/16 lbs., 2 YR. HOME USE WARRANTY.

9421 Hobby Tool For the hobbyist & do-it-yourselfer. Used to sand, grind, etch, carve, drill, cut, shape, polish, & sharpen metals, woods, & other materials. 36" flexible shaft with ball-bearing handpiece. Can be bench or wall mounted. 25,000 rpm, 120V, 50/60 hz, 2.0 amps, 2-3/4 lbs. 2 YR. HOME USE WARRANTY.




9411



7980

7980 Drill Bit Sharpener Exclusive Black & Decker tool resharpeners drill or broken carbon and high speed steel twist bits without lubricants. 120V AC only, 1.9 amps, 3-15/16 lbs., 2 YR. HOME USE WARRANTY.



9418


9411 12" Band Saw Cuts intricate designs & straight cuts. 4" depth of cut, 12-7/8" throat, 13-3/4" x 12-3/4" table tilts to 45 deg. Mitre gauge (0 to 60 deg). Variable speed, 750 to 1900 SFPM. Self-adjusting belt drive. Adjustable blade guides. 120V, 50-60 hz, 3 amps, 17 lbs. 2 YR. HOME USE WARRANTY.

9418 Bench Sander & Grinder Two tools in one. Sand & mitre molding, sand workpieces; sharpen knives, scissors, axes, lawn mower blades, & chisels. 3" x 24" belt moves at 1450 SFPM. Tool bracket adjustable to 90 deg. Hose connection for vac. 120V, AC only, 3.3 amps, 2 YR. HOME USE WARRANTY.



Staplers, Nailers

9700 Electric Stapler The Black and Decker Electric Stapler can be used for many purposes. Use it for repairing upholstery and furniture; installing insulation, tile ceilings, and plastic sheeting for insulation; repairing or building window screens; tacking art canvas or fabric to frames; etc. Exclusive solid state circuitry delivers maximum stapling power per stroke. An exclusive quick release front end design permits easy removal of jammed staples without tools, and staples are easily loaded through the back end. The stapler is lightweight (1-7/8 lbs) for less operator fatigue. Built-in fabric screen stretcher at the front end. The stapler drives 5 sizes of staples available from B&D and many other manufacturers: 1/4", 5/16", 3/8", 1/2", and 9/16". 120V, AC only, 10 amps, 2 YR. HOME USE WARRANTY.



9700

9705 Electric Stapler Kit The Electric Stapler Kit features the lightweight 9700 Electric Stapler with exclusive solid-state circuitry and an exclusive quick release front end design for easy removal of jammed staples. Plus, the kit contains three boxes of the most popular staple sizes (1000 staples per box in 1/4", 3/8", and 9/16" lengths), a steel staple remover, and a projects book. The electric stapler and all of the supplies store in a custom-fitted, double-wall, carrying case with a long lasting mechanical hinge. 3-3/4 lbs. 2 YR. HOME USE WARRANTY.



9705



9720

9720 Electric Brad Nailer Think of the things you can do with an Electric Brad Nailer! For panelling, countersink or drive colored brad nails flush for uniform appearance. Mouldings: no need to fumble with nail sets or worry about hammer-marred surfaces; just nail the molding on. Shelving and cabinets: use the electric brad nailer to handle all kinds of plywood construction without scratching or marring veneered surfaces. Furniture making and repair; repair loose joints quickly and precisely; the specially designed base protects fine wood finishes from scratching and marring. For use with craft and hobby kits: gives you greater control in any finish nailing application. Picture frames: the easy inexpensive way to make your own picture frames from molding. So easy to use, you'll find more and more uses for it. Color matching brad nails blend with the material. The nailer has exclusive solid state circuitry - delivers maximum power to the stroke. An exclusive quick release front end design permits easy removal of jammed nails without tools. Easy back end loading, permits loading brads from any position. A V-shaped base gets in close for nailing in corners and other tight spaces. An automatic interlock requires that the V-base contacts the work surface before the trigger can be pulled. Designed to accurately position nails. Drives two sizes of nails: 1" and 1-1/4", in 4 colors: off-white and three shades of brown. 120V, AC ONLY, 10 amps, 3 lbs. 2 YR. HOME USE WARRANTY.

Heat 'n Strip

9750 Heat'n Strip™ Electric Paint Stripper At last there is an effective alternative to caustic chemicals and flame throwers for removing paint! Black & Decker's paint stripper blasts super-hot air that heats painted surfaces and allows the user to remove old paint quickly, effectively, and economically with a scraper. Use the stripper to remove paint from furniture; there is no residue, little cleanup mess, and no odor or mess as with chemical strippers. Does not singe wood or raise the grain surface. After the paint is removed, the surface can be stained, painted or varnished immediately. Use the stripper to dry hobby projects; the hot air shortens the drying time. It can be used to shrink electrical heat-shrink tubing too. Use the stripper to soften floor tile and adhesives for repair and replacement. The heated air exiting from the heat chamber ranges from 480 to 570 degrees F. A lock-on button can be used for continuous use. 120V, AC only, 1200 watts, 11 amps. 2 YR. HOME USE WARRANTY.



9750



Rotary Cutter

7975 Rotary Power Cutter The Rotary Power Cutter is a unique, heavy duty tool that performs a multitude of cutting jobs fast, easily, and conveniently. It cuts steel (up to 0.024"), copper, tin, carpet, linoleum, vinyl flooring, hardware cloth, screen, asphalt roofing shingles, vinyl covered fabric, fiberglass insulation, fiberglass cloth, and plastic sheet. It also cuts leather, canvas, burlap, cloth, sandpaper, rubber sheet, foam rubber, paper, corrugated boxboard, balsa wood, cork, matte board, and mylar. A variable speed switch lets you set the speed for good control and accurate cutting. The cutter is self-feeding and has hardened steel blades. A reversing switch is used for disengaging the tool from material and for blind cutting. The cutter is especially useful for home improvement jobs, home repairs, redecorating, arts and crafts, upholstery, and other do-it-yourself work. It saves time and money if you have a lot of repetitive cutting to do. Double insulated; needs no grounding. Permanently lubricated ball and sleeve bearings. 120V, AC only, 60 hz. 2 amps, 60 rpm, 3-7/8 lbs. 2 YR. HOME USE WARRANTY.



7975



7696

7696 3-1/4\" Planer The B&D 3-1/4\" Planer provides accurate planing for a professional appearance. It also chamfers & bevels. Its planing width is 3-1/4\". Double-edged, throw-away blades. Blade replacement is simple. Lightweight (4 lbs., 12 oz.). Rear stationary shoe is 3-1/4\" x 7\"; adjustable front shoe is 3-1/4\" x 2-3/8\". 19,000 rpm, 120V, AC only. Additional accessories: vacuum cleaner adaptor, dust bag, adjustable edge guide, planer stand. 2 YR. HOME USE WARRANTY.



7496

7496 2-1/2\" x 16\" Belt Sander Use this 1/2 hp (maximum motor output) belt sander to remove paints, stains and varnishes; to sand rough lumber and round edges; and to smooth badly scarred or irregular surfaces. Compact and easy to use with insulated gripping surfaces. Convenient belt installation and tracking controls. Sands flush to vertical surfaces. Permanently lubricated bearings. An included dust collector minimizes clean up effort. Includes one sanding belt (additional belts are readily available). Belts are 2 1/2\" x 16\" and travel at 600 SFPM. The sanding surface is 10.7 square inches. 120V, AC only, 5 1/4 lbs. 2 YR. HOME USE WARRANTY.



Circular Saws

7392 2-1/4 HP 7-1/4" Circular Saw Added features for versatility, 2-1/8 hp (max. motor output) for toughest sawing jobs. With proper blade, rips & crosscuts soft & hardwoods, plywood, laminates & composition board. Cuts, bevels & mitres. Two handle surfaces for steady control. Metal upper & lower blade guards & a steel wraparound shoe for added support. Permanently lubricated ball & sleeve bearings. Double insulated, no grounding required. Accepts optional 73-501 rip fence. Sawdust ejection chute keeps sawdust from cutting line for better visibility. 7-1/4" combination blade included. 5500 rpm, 120V AC only, 10 amps, 10-5/16 lbs., 2 YR. HOME USE WARRANTY.

7390 1-3/4 HP 7-1/4" Circular Saw Added features for versatility. Metal upper & lower blade guards, wraparound shoe, bevel & depth adjustments, permanently lubricated sleeve bearings, sawdust ejection chute. Combination blade included. 5300 rpm, 120V AC only, 10 amps, 10 lbs., 2 YR. HOME USE WARRANTY.

7391 2 HP 7-1/4" Circular Saw Added features for versatility, 2 hp (max. motor output), metal upper & lower blade guards, wraparound shoe for added support, bevel & depth adjustments, permanently lubricated sleeve bearings, sawdust ejection chute. Includes 7-1/4" combination blade, 5300 rpm, 120V AC only, 10 amps, 10 lbs., 2 YR. HOME USE WARRANTY.



7392



7356

7356 2 HP 7-1/4" Deluxe Saw Dependable! Let go of the trigger & an electric brake stops the motor automatically. 2 horsepower motor (max. motor output). Tough metal upper & lower blade guards, wraparound sturdy steel shoe for added support. Convenient locking knob for depth-of-cut & bevel adjustments makes setting the right depth & angle quick & easy. Permanently lubricated ball & roller bearings help assure smooth, dependable operation & long life. Adjustable 0 deg. stop & cutting line guide. Front handle for two hand control. Double insulated, needs no grounding. Includes premium combination blade & rip fence. 5300 rpm, 120V AC only, 10 amps, 11-1/2 lbs. 2 YR. HOME USE WARRANTY.

7308 1-1/2 HP 7-1/4" Circular Saw Has a 1-1/2 hp motor (max. motor output) for light duty work & occasional projects. Bevel and depth adjustments. Upper and lower blade guards. Sawdust ejection chute keeps sawdust away from the cutting line for better visibility. Accepts optional 73-501 rip fence. Double insulated; needs no grounding. Includes a 7-1/4" combination blade. 5300 rpm, 120V AC only, 9 amps, 8-1/4 lbs. 2 YR. HOME USE WARRANTY.

7300 5-1/2" Compact Circular Saw 5-1/2" circular saw for general purpose use. Lots of power and versatility in a saw that's lightweight and compact. Use it for light duty work and occasional projects. Great for paneling, plywood, molding, trim work and shelving. Designed especially for home use - known as the 5-1/2"er. Has a 4/5 hp motor (max. motor output). Trigger switch. Bevel and depth adjustments. Upper and lower blade guards, 4000 rpm, 4/5 horsepower, 120V AC only, 5 amps, 5-1/2 lbs. 1 YR. HOME USE WARRANTY.



7308



7300

Jig Saws & RECIPROCATING SAW

7578 Electronic Speed Controlled Auto-Scrolling Jig Saw 1/3 HP Added features for versatility, 1/3 hp (maximum motor output). Use a jig saw to cut wood, thin-gauge metals, bars, angles, fiberglass, plaster, tile, wood, plastic, composition, and pipe. It is especially useful in cutting square, circular, irregular, and intricate cutouts, as in scrolling wood or cutting holes in walls or air ducts. This Electronic Speed Controlled Auto-Scrolling Jig Saw features an exclusive electronic feedback switch that automatically increases power to compensate for varying sawing loads. Auto scrolling allows cutting intricate designs; the blade automatically follows as the saw is pushed in the desired direction. Scrolling action can be locked out to enable the saw's use as a regular jig saw. Calibrated shoe tilts to 45 degrees left or right for bevel cuts. A built-in sawdust blower keeps the cutting line clear. Has permanently lubricated sleeve bearings. Double insulated, needs no grounding. Includes: combination rip fence and circle guide; wood and plastic cutting scrolling blade; general purpose wood cutting blade; and chip deflector. 0 to 3200 spm, 5/8" stroke length, 120V, AC only, 50-60 hz, 3 amps, 4-1/4 lbs. 2 YR. HOME USE WARRANTY.

7566 Electronic Speed Controlled Auto-Scrolling Jigsaw 1/2 hp motor (max. motor output). Shoe reverses for non-splintering straight cuts & 1" stroke length allows faster cutting & longer blade life. A balanced reciprocating mechanism minimizes vibration. Includes: combination rip fence & circle cutting guide, scroller, wood & plastic cutting blade, hollow ground blade, & chip deflector. Infinite speed settings 1300 to 2800 spm, 120V, 50-60 hz, 5-3/4 lbs., 5 amps, 2 YR. HOME USE WARRANTY.



7578

7580 Variable Speed Jigsaw Added features for versatility, 1/3 hp (max. motor output). Handle variable speed switch allows correct speed. Calibrated tilting shoe for bevel compound & mitre cuts. Easier pocket cutting, 5/8" blade stroke. Double insulated. Includes: combination rip fence & circle guide & a wood cutting blade. Permanently lubricated sleeve bearings. Built-in sawdust blower keeps cutting line clear, infinite speed settings 0 to 3200 spm, 120V, 50-60 hz, 3 amps, 3-3/4 lbs., 2 YR. HOME USE WARRANTY.

7530 Two Speed Jigsaw Added features for versatility, 1/3 hp (max. motor output). Two speed: high for wood & composition; low for metal & plastic. 5/8" blade stroke. Calibrated tilt shoe for bevel & compound mitre cuts. Built-in sawdust blower keeps cutting line clear. Permanently lubricated sleeve bearings. Double insulated. Includes: wood cutting blade. 2500 spm low speed, 3200 spm high speed, 120V AC only, 3 amps, 3-9/16 lbs. Accepts U2151 combination rip fence & circle guide. 2 YR. HOME USE WARRANTY.



7566



7580




7530



7504

7504 Jig Saw A general purpose, single speed, 1/5 hp (max. motor output) jig saw for making straight & curved cuts in wood, metal, plastics & other materials. This versatile time-saving saw does numerous jobs around the home. 3200 spm, 120V, AC only, 50/60 hz, 2.1 amps, 3-1/4 lbs. 1 YR. HOME USE WARRANTY.



7554

7554 Reciprocating Saw This 1/2 hp (max. motor output) reciprocating saw makes fast work of rough cuts when adding windows, electric outlets, vents, etc. Makes rough cuts in metal, wood, pipes, compositions, etc. Blade has a 1" stroke for faster cutting and longer blade life. A rocking shoe permits making starting holes prior to cutting a larger area. Guided air flow keeps the saw cool and clears dust from the working area. Double insulated. Permanently lubricated ball, roller, and sleeve bearings. Uses 1/2" shank reciprocating saw blades. Saw includes a general purpose blade. 0-2600 spm, 120V, AC ONLY, 4.2 amps, 3-1/4 lbs. 2 YR. HOME USE WARRANTY.



Sanders

7436 1/3 Sheet Dual Action Finishing Sander 1/4 hp (max. motor output). Fine finish sand wood, metal & plastics or sand rougher work. Flat, square base allows easier corner work. Dual action: orbital for material removal & straight line for fine finishing. Flush sands on three sides. Permanently lubricated sleeve bearings. Lever actuated clamps secure sandpaper. Double insulated, needs no grounding. Paper size 3-5/8" by 9" (1/3 standard sheet), 4200 OPM, 120V, AC only, 50-60 Hz, 2.8 amps, 3-1/2 lbs., optional dust collector, 2 YR. HOME USE WARRANTY.

7438 1/3 Sheet Dual Action Finishing Sander Assortment Added features for versatility. Same features as the 7436 sander except that it includes dust collector. Includes 3 sheets of assorted grit 3-5/8" by 9" (1/3 standard sheet) sandpaper, 3-9/16 lbs., 2 YR. HOME USE WARRANTY.



7436



7456

7456 1/2 Sheet Dual Action Finishing Sander Assortment 1/3 hp (max. motor output). Dual action: orbital for material removal & straight line for fine finishing. Dust collector. Permanently lubricated ball & sleeve bearings. Lever actuated paper clamps. Includes 6 sheets sandpaper. Paper size: 4-1/2" x 11", 4000 opm, 120V, AC only, 3 amps, 5-7/16 lbs., 2 YR. HOME USE WARRANTY.



7404

7404 1/2 Sheet Finishing Sander Lightweight general purpose sander for fine finishing wood, metal & plastics. Extra fast 10,000 orbits per minute means smoother finishing & faster material removal. Flush sands on 3 sides. Double insulated. Paper size 3-5/8" x 9" (1/3 standard sheet), 3/20 hp (max. motor output), 120V, 50-60 Hz, 1.6 amps, 2-5/8 lbs., 1 YR. HOME USE WARRANTY.



7480

7480 1/2 Sheet Orbital Finishing Sander Added features for versatility. Has 1/3 hp motor (max. motor output), large 1/2 sheet of sandpaper provides 60% more sanding surface than 1/3 sheet. Flush sands on 3 sides. Permanently lubricated ball & sleeve bearings. Front handle for extra control with one or two hands. Accepts optional dust collector. Paper size: 4-1/2" x 11" (1/2 standard sheet), 4000 opm, 120V, AC ONLY, 3 amps, 5 lbs., 2 YR. HOME USE WARRANTY.



7451

7451 3" x 24" Belt Sander with Internal Dust Collecting System Use this 3/4 hp (maximum motor output) belt sander to remove paint, stains, and varnishes; to sand rough lumber and round edges; and to smooth badly scarred surfaces. Use it when you need to remove a lot of material fast. Sander has a low center of gravity with the motor between the pulleys to put the weight where it counts: no tilting, gouging, or rocking. Up-front controls for easy sanding belt installing and tracking. Insulated gripping surfaces. Sands flush to vertical surfaces. Permanently lubricated ball and sleeve bearings. Dust collector keeps dust under control. Includes one sanding belt (additional belts of assorted grits are available). Belts are 3" x 24" and travel at 1200 surface feet per minute. The sanding surface is 13.8 square inches. 120V, AC ONLY, 5.2 amps, 8-3/4 lbs. 2 YR. HOME USE WARRANTY.



7447

7447 3" x 21" Belt Sander A good general purpose belt sander to remove paints, stains and varnishes; to sand rough lumber, round edges and smooth irregular surfaces. Auxiliary front handle for good control. Permanently lubricated sleeve bearings. 14 square inches of sanding surface. Belts are 3" x 21" and travel at 600 surface feet per minute. Includes one sanding belt. (Additional belts are readily available). 120V AC only, 3.4 amps, 7 lbs., 2 YR. HOME USE WARRANTY.

Routers



7614

7614 1-1/2 HP Router Added features for versatility. Show off your most creative workmanship using a router; produce intricate contours in wood, multicurved moldings and edges, relief panels, and trim work; engrave signs and make delicate grooves for inlays. This 1-1/2 hp (max. motor output) router makes quick, clean cuts in wood, plastics, compositions, and other materials. Vertical depth adjustments are calibrated in 1/64" increments; has an easy to use zero adjustment to compensate for different length cutters. 1/4" collet-type chuck. Lever type base lock facilitates quick adjustments of depth. All ball-bearing construction. Removable chip deflector keeps dust away from the operator. Non-marring base; base also holds wrench. Shunted brush system for the motor guards against brush failure due to short term overloading. Has a spindle lock so that only one wrench is needed to insert bits. Power switch is mounted on the handle and can be locked on. A work light increases the operator's visibility of the pattern lines. Complete easy-to-follow instructions come with each router. Double insulated; needs no grounding. 25,000 rpm, 120V, AC ONLY, 9 amps, 8-1/4 lbs. 2 YR. HOME USE WARRANTY.

7666 Electronic Digital Depth Display Router

This router features a 25,000 rpm, 1-1/2 hp motor (max. motor output) for the most demanding jobs plus an exclusive electronic digital display of the depth-of-cut setting. The digital depth-of-cut readout system has a pushbutton zero reset and includes English-to-metric conversion. The plunge base allows starting and stopping the router without having the lift or tilt the router base from the workpiece (bit lowers into workpiece). Depth-of-cut up to 2". The off-on switch is conveniently located on the handle and includes a lock-on button. A lever base lock firmly positions the cutter at any depth setting. A work light increases the operator's visibility of the pattern line. The router has all ball bearing construction for efficient power transmission and long life. A removable chip deflector helps keep dust away from the operator. A spindle lock is provided so that only one wrench is needed to tighten or loosen a bit in the 1/4" precision collet. Double insulated so no grounding is necessary. The router base is designed to hold a wrench, thus keeping the wrench with the router. 25,000 rpm, 120V, AC only, 9 amps, 8 lbs. 2 YR. HOME USE WARRANTY.



7666

7604 3/4 HP Router Added features for versatility. 30,000 rpm, 3/4 hp (max. motor output) router. Has a convenient slide-action switch for continuous two hand control. Directed air exhaust clears chips from the working area. Has all permanently lubricated ball bearings and a 1/4" chuck. The vertical depth adjustments are calibrated in 1/64". Non-marring base. Shunted brush system. 120V, AC ONLY, 5 amps, 4 lbs. 2 YR. HOME USE WARRANTY.

7615 1-1/2 HP Plunge Cut Router This 1-1/2 HP (max. motor output) router has an exclusive patented plunge cut feature which allows starting of routing without lifting or tilting router base. 2" plunge depth, rack & pinion depth adjustment is calibrated in 1/64" increments. Lever type base lock facilitates quick depth adjustment. Removable chip deflector keeps dust away from the operator. Non-marring base; base also holds wrench. Shunted brush system guards against brush failure due to short-term overloading. Has a spindle lock — only one wrench is needed. Worklight increases operator's visibility. Includes wrench, chip deflector & routing instruction manual. Double insulated, no grounding needed. 25,000 RPM, 120V, AC only, 9 amps, 8-1/8 lbs., 2 YR. HOME USE WARRANTY.

7600 5/8 HP Router Good general purpose router for light duty work and occasional projects. Has a convenient slide-action switch for continuous two hand operation. All permanently lubricated ball bearings. Double insulated; needs no grounding. Vertical depth adjustments calibrated 1/64" increments. 30,000 rpm, 5/8 hp (max. motor output), 120V, AC ONLY, 3-7/8 lbs. 4.5 amps. 1 YR. HOME USE WARRANTY.



7604



Drills

7195 3/8" High Speed VSR Drill

An electric drill is probably the most versatile & most often used home power tool. Besides drilling holes in wood, metal, plastics, masonry, etc., with the proper accessories, it's also used to sand, grind, buff, polish, drive screws, cut large holes, mix paint, file, wire brush, & drive nuts. Select a drill with sufficient power & versatility for your immediate and future needs. Drills ceramic tile, steel or other hard surfaces. Use it as a screwdriver. Adjustable trigger switch allows you to dial & hold the preselected speed. Double reduction gearing combines the capacity & drilling power of a 3/8" drill with the speed (0 to 1950 rpm) & versatility of a 1/4" drill. 1950 rpm is especially well suited for wood working. It reverses too for backing out screws or jammed drill bits. An exclusive recessed center locking button guards against accidental "lock-on". Double insulated, 3/8" chuck, 120V, AC only, 3.5 amps, 2 YR. HOME USE WARRANTY.

7166 3/8" Electronic Speed

Controlled Drill 2/5 hp (max. motor output) motor with double reduction gear system & 3/8" chuck handles tougher jobs. Electronic feedback switch increases power to compensate for varying drilling loads. Reversible. Trigger with lock holds preselected speeds. Permanently lubricated bearings, 0-1200 rpm, 120V, 50-60 hz, 3.5 amps, 3-9/16 lbs., 2 YR. HOME USE WARRANTY.

7127 3/8" Variable Speed

Reversing Drill 0 to 1200 rpm, 1/5 hp (max. motor output), 120V, 50/60 hz, 2.3 amps, 2-3/4 lbs. 1 YR. HOME USE WARRANTY.

7190 3/8" Variable Speed Reversing Drill with Infinite

Speed Lock Added features for versatility. Variable speed 0-1200 rpm; trigger can be locked at the selected speed. Reversing switch for backing out screws or jammed bits. Permanently lubricated bearings. Double reduction gearing to handle tougher jobs. 120V, AC only, 50-60 hz, 3 amps, 2-3/4 lbs. 2 YR. HOME USE WARRANTY.

7104 3/8" Drill

Single speed general purpose drill. 1200 rpm, 1/5 hp (max. motor output), 120V, AC only, 50/60 hz, 2 amps, 2.5 lbs. 1 YR. HOME USE WARRANTY.

7195



7266 13 mm (1/2") Electronic

Computer Controlled Drill 1/2 hp (max. motor output). Microcomputer control - the most advanced portable drill of its kind. Maintains 5 selected speeds under varying loads. Motor stops when overloaded. Reverses. Permanently lubricated. 6 ft. cord, 150-1200 rpm, 120V, AC only, 60 hz, 5.4 amps, 5-1/2 lbs., 2 YR. HOME USE WARRANTY.

7224 1/2" Reversing Drill

Triple reduction gear. 3/8 hp (max. motor output), 550 rpm, 120V, AC only, 3 amps, 4-5/8 lbs. 2 YR. HOME USE WARRANTY.

7166



7190



7266



7254



7277



9020



7254 1/2" Variable Speed Reversing Drill with Infinite

Speed Lock Added features for versatility. 3/8 hp (max. motor output). Variable speed 0-550 rpm. Drill ceramics, masonry & metals or use as a screwdriver. Reversible. Permanently lubricated. 120V, AC only, 50-60 hz, 3 amps, 4 lbs., 2 YR. HOME USE WARRANTY.

7204 1/2" Drill

Single speed general purpose drill for larger jobs. 550 rpm, 1/3 hp (max. motor output), 120V, AC only, 50/60 hz, 3 amps, 3-3/16 lbs. 2 YR. HOME USE WARRANTY.

7004 1/4" Drill

Single speed for light duty work. 2500 rpm, 1/5 hp (max. motor output), 120V, AC only, 50/60 hz, 2 amps, 2-3/16 lbs. 1 YR. HOME USE WARRANTY.

7277 1/2" Variable Speed Reversing Drill with Hammer


Action Added features for versatility. Percussion drills in concrete, brick & tile; rotary drills in metal, wood & plastics. Variable speed 0-850 rpm, 0-10,200 BPM, 1/2" chuck, 120V, AC only, 3.3 amps, 4 lbs., 2 YR. HOME USE WARRANTY.

9020 3/8" Cordless 2-Speed Reversing Drill & Screwdriver

with 3-Hour Charger 170 & 400 rpm. Contains nickel cadmium batteries. Forward & reverse selector switch. 2 speed trigger switch. Compact. 2-1/2 lbs., 2 YR. HOME USE WARRANTY.

9024 3/8" Cordless Reversing

Drill with 1-Hour Charger Added features for versatility. Removable battery pack recharged in 1 hr. 500 rpm, forward & reverse, 6-3/16 lbs. 2 YR. HOME USE WARRANTY.




7749

7749 10" Deluxe Radial Saw Famous DeWalt cast iron construction for repeatable accuracy and long life. DeWalt power built radial saws handle ripping, mitering, bevel mitering, crosscutting with ease. Available accessories and attachments turn your radial saw into a complete home workshop that will sand, shape, dado, rout and bore.

- 2 1/2 hp (max. motor output), 100% ball bearing industrial type capacitor start induction motor — 5/8" arbor.
- Equipped with thermal overload protector and automatic brake.
- Cast iron arm and column base construction.
- Up front elevating and miter controls.

7716 Miter Saw DeWalt power miter boxes — the choice of professionals! They're a cut above in performance. And reliability. Made-to-take-it tough for mitering and fast cutoffs. Whizz through aluminum and copper extrusions, plastic, — as well as wood. The DeWalts have the power and accuracy for the results you want with all kinds of carpentry work — finish and trim, cabinet making, picture framing, etc. They're rugged enough for commercial and home building, boat building and mobile home production, too. Keep one handy in your truck or shop. You'll use it on every job.

- 10" blade cross cuts 3 3/16" x 4 7/8" and miter 3 3/16" at 45°.
- Larger, more stable work surface. 4 1/2" x 21 1/4" table with 3 1/2" rear fence.
- Easy to remove upper blade guard for quick blade changing.
- Gear driven — no belts.



7716

For a complete catalog on DeWalt Power Tools write to:

DeWalt
715 Fountain Ave.
Lancaster, PA 17601
Att — Adv. Dept.



Professional Power Tools for



1180-09 3/8" Extra Heavy Duty Variable Speed Reversing Holgun® Drill Powerful 400 watt motor. Variable speed provides excellent control for all drilling jobs.




1311-09 1/2" Extra Heavy Duty Variable Speed Reversible Holgun® Drill (0-550 rpm) Powerful 400-watt motor for maximum power in all applications; side handle is adjustable 360 degrees; variable speed for control when starting drill.



1575-10 3/8" Heavy Duty Variable Speed Reversible Scruddrill® Drill (0-1200 rpm) Two tools in one - a drill and a positive-clutch screwdriver. A simple turn of the collar converts tool from one function to the other.

1321 1/2" Extra Heavy Duty Reversible Spade Handle Drill (450 rpm) Ideal drill for use with large wood boring bits and for top performance in metal drilling. Removable top pipe and rear spade handle for close quarter work. A real work horse.



1321

1920 3/8" High Speed Cordless Drill Kit Reversible 1850 rpm drill; includes 9.6 volt energy pack and 120 volt 1-hour computerized charger. Component-type motor can be serviced; brushes can be replaced.

1940 3/8" Hi Torque Cordless Drill Kit (800 rpm)

98060 120 volt 1-hour Computerized Charger

98065 12 volt (for truck or car) 1-hour Computerized Charger

98003 Energy Pack

2214-09 1/2" Square Drive Reversible Impact Wrench (2100 rpm) Highest torque rating of any B&D 1/2" electric impact wrench, equal power in both forward and reverse; exclusive rocker switch for easy rotation change and one-hand operation.

2025-10 Heavy Duty Variable Speed Reversible Versa-Clutch® Scrugun® Screwdriver (0-1200 rpm) Finger twist of external adjusting collar "sets" tool to torque needed for specific fastener and workpiece. Screws can be set in soft material without stripout. Perfect visibility of washer head and work surface when setting sealer screws.

5077-09 3/8" Extra Heavy Duty Reversible Hammergun® Hammerdrill Kit with 2 variable-speed ranges (0-1700 rpm, 0-3400) Two mechanical speeds plus variable speed plus reversing makes this tool ideal for driving TAPCON® self tapping masonry anchors, freeing stuck bits, drilling in brittle materials.



1920



2214-09



2025-10



5077-09

Industry, Construction & Farm

3103-09 Heavy Duty 2-speed Cut-Saw Kit Full 1" stroke for fast cutting, lock-on button; high speed - 2200 strokes per minute, low speed - 1600 strokes per minute; scroll cuts down to 1/2" radius; steel tool case has blade selection chart inside lid.

3105-09 Full-wave Variable Speed Cut-Saw Kit (0-2100 spm)



3103-09
Also Includes Case

3934 Heavy Duty 14" Chop Saw (3800 rpm) Extra cutting capacity with 3-1/2 hp motor can cut most standard bundles of drywall studs in a single pass. Operates on AC or DC power. Exclusive integral quick-locking vise for fast easy clamping.

3044-09 Heavy Duty 7-1/4" Builders' Sawcat® Circular Saw (5500 rpm) Electric brake stops blade in seconds when trigger switch is released. Quick and easy setting of cutting depth; 100% ball and roller bearing construction. Ten-foot-long power cord stays flexible in cold weather, prevents plug hang up when cutting 4' x 8' sheets.

3045-09 Heavy Duty 8-1/4" Builders' Sawcat® Circular Saw (5500 rpm)



3934



3044-09



3157-10



3310




4015

3157-10 H.D. Orbital Action Var. Sp. Jig Saw (0-3100 spm) Continuous trigger lock for precise speed selection; 4-position orbital action for fast, smooth cutting; full 1" stroke; motor fully sealed.

3310 Heavy Duty Cyclone™ Router (1-1/2 HP) All-ball-bearing construction; 25,000 rpm no-load speed; accurately calibrated depth adjustment for precise routing; stands on head for easy bit change and depth adjustment.

4015 Heavy Duty Finishing Sander (10,000 opm) Instant-release trigger with locking pin; rated for continuous production use; easily operated spring-loaded clamp holds up to 5 pieces of paper at one time; accepts 4-1/2" x 11" abrasive paper.



4052



4246-09

4052 7-1/8" Heavy Duty Angle Sander (6000 rpm) Soft mount spindle prevents wheels from freezing onto spindle. Large easy-to-reach lock-on buttons; instant-release heavy duty trigger switch; exhaust deflector blows dust away from operator.

4076 7-1/8" Heavy Duty Angle Sander (6000 rpm)

4246-09 Heavy Duty 4-1/2" AC/DC Angle Grinder (10,000 rpm) Can be powered by welder or other DC source; lightweight and compact to work well in tight places. Rotatable guard can be positioned or removed without tools. Paddle switch has easy lock-on/lock-off feature.

4250-10 Heavy Duty 5" AC Angle Grinder (10,000 rpm)



Workmate® WORK CENTERS



79-034



79-034 WORKMATE® 400 Work Center

The front jaw on WORKMATE® 400 swings up for 2¼" vertical clamping. This allows user to: work freely on material edges; clamp thin materials; or use vise jaws as a gluing clamp. It holds things up to 16" wide between pegs and 8" between vise jaws. Dual height. 33½ lbs.

WORKMATE® Work Centers

WORKMATE® Work Center is a "must" addition to any Do-It-Yourself's home workshop because it makes any job easier to do. WORKMATE® is a completely portable work bench, vise, and sawhorse — all in one versatile tool. All WORKMATE® models have vise jaws which angle to allow wedge shapes to be held; v-grooves in vise jaws to hold pipe or tubing; a sturdy base of steel; and all fold up for easy carrying and storage.

79-033



79-033 WORKMATE® 300 Work Center

The dual height WORKMATE® 300 has 29" vise jaws which open a full 5¼" wide. Swivel pegs expand holding capability to 11¾" wide. 29 lbs.

79-032



79-032 WORKMATE® 200 Work Center

The 23¾" vise jaws on WORKMATE® 200 open 5¼" wide. Swivel pegs hold shapes up to 11¾" wide. Holes in the step provide storage for tools such as screwdrivers, pliers, chisels. Dual height. 26 lbs.

79-031



79-031 WORKMATE® 100 Work Center

Lowest cost model. Holes in front cross base hold screwdrivers, pliers, chisels, etc. The 23¾" vise jaws open 5¼" wide. Swivel pegs hold shapes up to 11¾" wide. 23" rule on front jaw permits easy measuring. Single height. 21 lbs.

Workmate® BENCH VISES



79-025 HOBBYCRAFTER Vise

Great for hobbies, crafts, and painting because the tilting HOBBYCRAFTER leaves your hands free to do the work! It attaches to any work surface up to 2 1/4" thick. HOBBYCRAFTER has powerful 8" vise jaws which open to 3" wide; plus it tilts and also rotates in any direction. An ideal gift for the home hobbyist.


79-025

79-020 Tilt Top Vise

Take your work center to the job with the Tilt Top - it makes any surface a work surface. It mounts (with included clamps) on any work surface up to 2 1/2" thick. It tilts to 3 positions for even greater versatility. 16" vise jaws open to 5 1/4" wide. 14 lbs.

79-023 Standard Vise

This vise is similar to 79-020 but does not tilt. It mounts with included clamps on any work surface up to 2 1/2" thick. 16" vise jaws open to 5 1/4" wide.



79-020



Folding Sawhorses

79-051 Folding Sawhorse (Single)

There's never been a sawhorse like it—the Folding Sawhorse **locks** open for stability, and then **folds up** for convenient storage. Yet it's stable, sturdy, and strong with a high-impact load-bearing frame. Convenient working height of 30". The legs adjust for leveling on an uneven surface. 16 lbs.


79-052 Folding Sawhorses (Pair)



79-052

Extend the versatility of the WORKMATE® Work Center with WORKMATE® Attachments. Available at your local retailer or directly through Black & Decker.

WORKMATE® Attachments



79-012

79-012 WORKMATE® Saw & Mitre Guide

Can be used with any 7 1/4" circular saw and a WORKMATE® Work Center to give you a greater degree of accuracy. Use for cutting rafters, floor joists, studs, aluminum siding.



79-013

79-013 WORKMATE® Router and Shape Guide

Can be used with all Black & Decker and most other routers to perform shaping and routing on WORKMATE® easily. Handy for routing edges, beading, free hand routing of fancy designs.



79-015

79-015 WORKMATE® Drill Guide

For use with most popular 1/4" and 3/8" power drills. Held in WORKMATE®, it can be used to drill horizontally, perpendicularly, or at an angle. It's also a drill press and level.



79-016

79-016 WORKMATE® Clamp Attachments (Pkg. of 2)

Easily operated tools that clamp parts for gluing, hold items for sawing, drilling, sanding, or routing on a horizontal surface.



79-018

79-018 Horizontal Clamp

Increases clamping capacity and provides extra stability and pressure for large objects. Can also fit in workbenches by drilling a hole.

79-010 Swivel Pegs (2) For additional versatility in holding objects, or to replace lost pegs.

Cutters

Cutters

All Black & Decker electric nylon line trimmers give that "landscaped" look to your yard — quickly and easily. All models have an instant release switch with trigger guard to prevent accidental turn-on and there is an automatic line cut-off for user protection. Double insulated, lightweight, and U.L. listed.

8255 12" Cutter with Command Feed™

Black & Decker's most powerful line trimmer. Cutter powers through weeds, powers through grass. And with Command Feed™, a unique feeding mechanism, just the touch of a button advances more line. 12" swath; 10,500 rpm, 4.3 amps. 5½ lbs.

8251 10" Cutter with Command Feed™

Same features as 8255, except 10" swath, 10,700 rpm, 2.5 amps, 5½ lbs.



Nylon Line Trimmers



8204 9" Nylon Grass/Weed Trimmer

9" cutting swath for smaller size lawns. This model has a control feed system — extends more line by simply tapping the trimmer on the ground. 10,500 rpm, 1.5 amps. 2½ lbs.

8201 7" Nylon Grass/Weed Trimmer

Lighter duty trimmer for light growth in hard-to-reach places. No automatic line cut-off. 12,000 rpm, 1.1 amps. 2½ lbs.



Hedge Trimmers

The easiest way to make quick work of shrub and hedge trimming. Smooth, consistent power for big jobs and mature hedging. Wraparound handle (except 8115) for easy control, comfortable rear-handle for left or right-handed use.

8144 22" Commercial Shrub and Hedge Trimmer

Our biggest and most powerful, for wide or high hedges. 22" long blades. 2.9 amps, 6 lbs.

8134 18" Double Edge Shrub and Hedge Trimmer

For thick hedge growth. 18" long blades. 2.6 amps, 5 1/4 lbs.

8124 16" Double Edge Hedge Trimmer



For most popular hedge sizes. 16" long blades. 2.4 amps, 5 1/4 lbs.

8118 13" Double Edge Hedge Trimmer

13" long blades, 2.2 amps, 4 1/2 lbs.

8115 13" Double Edge Hedge Trimmer

Sturdy, up-front grip handle. 13" long blades. 2.0 amps, 4 1/2 lbs. (Not shown.)



8295 Deluxe Cordless Grass Shear

Four nickel cadmium batteries give this deluxe cordless grass shear long run time. Will cut the edges of 2 acre lot on a single charge. Battery recharger included. 1 1/2 lbs.

8288 Cordless Grass Shear

For general purpose use. Will cut the edges of 1 acre lot on a single charge. Battery recharger included. 1 1/2 lbs.

8000 18" Single Blade Rotary Mower

Four position cutting height adjustment. 1" to 2 1/2". Blade stops in 3 seconds for added safety. 16 gauge steel deck for strength. 4000 rpm, 6.5 amps, 36 lbs.

8008 18" Single Blade Rotary Mower

Fold down handle for minimum storage space. 6 position cutting height adjustments: 1 1/4" to 3". 4000 rpm, 6.5 amps, 36 lbs.

Both Black & Decker mowers meet U.S. government regulations for walk-behind rotary mowers.



Super Sweep

Super Sweep

This powerful electric air blower is ideal for cleaning jobs around the home: for clearing leaves and grass from the lawn, patio, walks, and driveway; for clearing dust and debris from the basement and garage floors. It is designed for balanced, one-hand operation and control. Two locking wands and a diffuser nozzle are removable for easy storage. Two models from which to choose.

8422 Super Sweep

Includes electric air blower, locking wands and nozzle. 6.0 amp motor produces air flow of over 290 C.F.M. 8 lbs.



8421 Super Sweep Kit

Includes Super Sweep, plus rain gutter cleaning attachments for clearing gutters of leaves and debris. Has adjustable double elbow nozzle to direct air flow. Safety goggles included.

84-000 Super Sweep Gutter Cleaning Attachment

Includes: 6-15" self-locking wands, flexible elbow which swivels to adapt to tight places, and safety goggles.



Hose & Reel

8610 50' Hose & Reel (5/8" diameter)

Water hose on a wind-up reel, compact and completely portable. The reel design permits rapid unwinding and easy rewinding of hose. The hose itself is of tough woven fiber with a bonded inner lining. Standard cross couplings accommodate all standard faucets and hose attachments.



8610



8224 Heavy-Duty Double Insulated Edger-Trencher

Our deluxe edger has a big 8" blade for cutting a neat $\frac{3}{4}$ " trench along walks or driveways and it adjusts to 45° for fine edging. An adjustable side handle gives steady control, easy rolling wheels make maneuvering easy. 5300 rpm, 9 amps, 12 lbs.

8215 Double Insulated Edger

For general purpose use. 6½" blade cuts a neat $\frac{5}{8}$ " trench along walks or driveways. 13,000 rpm, 4.3 amps, 7½ lbs.



Haul in One™/Tub

9610 Haul In One™/Tub

Strong versatile yard cart, wood cart, hauler, and hand truck for year 'round use. All steel tubular construction gives strength, durability and extended product life. 5 inch hand truck spoon for big loads; 10 inch semi-pneumatic wheels. Will haul up to 400 lbs. 44 lbs.

9616/9615 Haul In Tub™

Heavy-duty polyethylene tub for storage and carrying. Fits securely on the Haul In One™ — or use alone for mixing cement, storing charcoal, or hauling picnic supplies. 2.5 cubic feet capacity. 9616 w/lid — 9 lbs; 9615 wo/lid — 7 lbs.



9610



Dustbuster™

9330 DUSTBUSTER™ Cordless Vac

The super handy lightweight vac that cleans up little messes as easy as 1, 2, 3! Rechargeable and cordless — so you don't have hoses and cords to fool with. It's great for those quick clean ups in corners, shelves, stairs, around plants, or under the kitchen table. To charge, just place in charging storage units. 2 lbs.



Dustbuster Plus™

9333 DUSTBUSTER PLUS™ Cordless Vac

Extra-powerful cordless rechargeable vac, with more sustained power and longer run time. Great for those bigger little messes and jobs like cleaning auto and stairs. Also includes upholstery brush, crevice tool for tight, narrow places, and extra filter bag. 3 lbs.





Scrub Brusher™



9385

9385 SCRUB BRUSHER™ Wet/Dry Cordless Scrubber

Black & Decker's powerful and versatile cordless SCRUB BRUSHER™ has been designed for use with water, or for dry cleaning uses. U.L. listed. It's perfect for cleaning bathrooms—grout, tile, fixtures, shower stalls; also rugs, barbecue grills, boat decks, whitewall tires.

Each full charge allows completion of many cleaning tasks. Safe to use with common household cleaning agents. Includes 2 size brushes—large one for big jobs, corner brush for hard-to-reach places. 2½ lbs.

Designed for use with water. U.L. listed.



Spotliter™

9360 SPOTLITER™

Powerful Rechargeable Light

The powerful SPOTLITER™ is always on charge, so it's always fully charged and ready to use. Because it stores in its own recharging base, you always know where to find it.

The rechargeable batteries eliminate corrosion problems, unlike conventional flashlights.

Every house should have one!



9360



Stowaway™

9600 STOWAWAY™ Step Stool

The only U.L. listed SLIM FOLDING step stool and it's backed by Black & Decker quality. All steel construction, yet lightweight, and folds up for storage. About an inch wide so it's easy to hide in small spaces, or out of the way under cabinets. Non-slip treads, non-skid feet. 9½ lbs.



9600



**STORES EASILY SO
IT'S ALWAYS HANDY.**



Accessories



74-480

DRILL NOT INCLUDED

74-480 Drill Powered Band Saw

The drill powered band saw is a bench type band saw that offers the features and performance of band saws that sell for 2 to 3 times more, because it is powered by a regular 1/4" or 3/8" electric drill. Use the band saw with confidence to make straight cuts, mitre cuts, and scroll cuts — all quickly and accurately. Dozens of home and shop uses. Cuts thick wood — up to 4" dressed lumber and non-ferrous metals when a metal cutting blade is used. And with the optional blade and gearing (74-481), it cuts ferrous (steel and iron) metals (need to use an 800-1200 rpm drill — drill and kit are optional extras). 7-1/2" by 3-3/4" throat clearance. 10" tilting table with calibrated quadrant adjusts to 45° for bevel cuts. Blade guard is adjustable to thickness of material being cut. Reversible blade guides accept 1/8" and 1/4" wide blades (52-3/4" length). Calibrated tension adjustment knob. Blade tracking control keeps blade centered on pulleys. Vacuum can be attached to collect saw dust. Quick change gearing adjustable for speeds of 1/4" or 3/8" drills. Cover easily removed for changing blades. Mitre guide for 90 and 45 cuts. Frame made of heavy gauge steel. Universal drill mount secures all makes of 1/4" and 3/8" electric drills. Wood cutting blade included.

Replacement Blades for 74-480 Band Saw

74-842 — 1/8" wide, 14 teeth/in., 0.018 in. thick, for wood cutting.
74-843 — 1/4" wide, 6 teeth/in., 0.014 in. thick, for wood cutting.
74-844 — 1/4" wide, 14 teeth/in., 0.014 in. thick, for wood and metal.
74-845 — 1/4" wide, 32 teeth/in., 0.014 in. thick, for metal cutting. (all of the above blades are 52-3/4" long)

74-550 Bench Tool Stand

Stand for the band saw or other bench-mounted power tools. Holds 200 lbs. Top can be set to 16 x 16" or 16 x 24". Adjust to 30, 32, 34, 36".

79-017 Cinch Clamp (not shown)

Tightly clamps furniture, household, hobby and craft projects. Handy for gluing, soldering, woodworking. 10' of strong braided rope will embrace objects up to 9" in circumference.

71-055 Drill Guide



Power tool accessory works like a drill press. Designed for drilling accurate 90 horizontal and vertical holes (including overhead). Doesn't "walk" when a hole is started. Drills through narrow board edges such as doors & planks & also drills round stock, pipe, or dowels. Can be used as drill extension. Fits B&D & most 1/4" & 3/8" electric drills.

74-495 Sharp 'n Sand

Sharp 'n Sand is a drill-powered belt sander used to sand, shape, and finish wood and metal workpieces. Also used to sharpen lawn mower blades, scissors, knives, and axes. Powered by most 1/4" and 3/8" drills. Hose connection for home vacuum. Mounts on board, bench or optional 74-480 base. Includes drill holder, sharpening guide, & sanding belt.

JSO-1500 Jack Rabbit Pump and Sprayer

It's a multi-purpose hand pump for numerous household, auto, marine, and farm uses. Transfer gas, change oil, pump bilge, spray gardens & shrubs with insecticides or plant food. Take it anywhere — uses no electricity. Pump is self-priming & easy to operate. Pumps 1 to 2 gallons a minute. Includes 7 ft. of clear tubing, 3 ft. dip tube, 5 ft. intake hose.



79-300 WORKHORSE Adjustable Platform Brackets

A versatile platform system that puts most jobs within easy reach. Takes the place of a ladder or scaffold. Sturdy steel brackets (set of two included) are used with lumber (not included) to form an adjustable work platform. Legs can be raised or lowered separately when used on uneven terrain, stairs, etc. Can be used to 6 ft. height (bracing needed over 3 ft.).




95-100 Electronic Metal Detector and Stud Finder

Electronically locates metal pipes, stud nails, wiring and girders. Indicator light glows when metal object is located. Thumb-wheel range finder permits settings for locating metal objects close behind walls, ceilings and baseboards. Operates on 9 volt battery (not included).



70-995 Portable 3" Vise

Use this handy portable vise almost anywhere in the home, shop, or garage for securely holding a variety of materials — wood, metal, etc. Two-way base clamps to workbench, table, sawhorse, or other support up to 2" thick. Made of heavy-gauge steel. 3" wide jaws with gripping treads open to 4". V-grooves in jaws for clamping pipe and dowels.



PREMIUM-PLUS® High Speed Steel Drill Bits

Premium high speed steel plus superior manufacturing techniques are combined to produce a precision, high quality twist drill bit well suited to the requirements of portable tool or drill press drilling in metal, wood and plastics.

Twin Pack Bits

2 bits per package. Full shank. Jobber length.

70-400 1/16"	70-401 5/64"	70-402 3/32"
70-403 7/64"	70-404 1/8"	

Single Pack Bits

Full jobber length.

70-405 9/64"	70-406 5/32"	70-407 11/64"
70-408 3/16"	70-409 13/64"	70-410 7/32"
70-411 15/64"	70-412 1/4"	70-413 17/64"
70-414 9/32"	70-415 19/64"	70-416 5/16"
70-417 21/64"	70-418 11/32"	70-419 23/64"
70-420 3/8"	70-421 25/64"	70-422 13/32"
70-423 27/64"	70-424 7/16"	70-425 29/64"
70-426 15/32"	70-427 31/64"	70-428 1/2"

Single Pack Bits

Turned down 1/4" shank.

70-429 9/32"	70-430 5/16"	70-431 11/32"
70-432 3/8"	70-433 13/32"	70-434 7/16"
70-435 15/32"	70-436 1/2"	

PREMIUM-PLUS® High Speed Steel Twist Drill Bit Sets

(A)

PREMIUM-PLUS® High Speed Steel Twist Drill Sets

In plastic case with bit sizes embossed in case for easy identification (71-017 contains twist drill & masonry bits; 71-018 has twist drills & punch).

71-009 9 pcs.	71-010 10 pcs.	71-012 12 pcs.
71-013 13 pcs.	71-014 13 pcs.	71-017 13 pcs.
71-018 14 pcs.		

(B)

PREMIUM-PLUS® High Speed Steel Twist Drill Sets

In handy plastic pouches.


71-005 5 pcs.	71-007 7 pcs.
---------------	---------------

(C)

PREMIUM-PLUS® High Speed Steel Twist Drill Sets

In folding metal case with bit sizes embossed in case for ready identification.

71-016 13 pcs.	71-020 15 pcs.	71-021 21 pcs.
71-029 29 pcs.	71-030 16 pcs.	71-031 18 pcs.



Hole Saws, Carbon Steel, for Wood and Composition Cutting

Saws are interchangeable on mandrels as indicated. Sizes are outside dia.

U1240 Mandrel (1/4" shank). Holds 3/4" to 1-1/8" saws.		
U1241 Mandrel (5/16" shank). Holds 1-1/4" to 2-1/2" saws.		
71-270 5/8" saw with mandrel.		
U1271 3/4"	U1272 7/8"	U1273 1"
U1274 1-1/8"	U1275 1-1/4"	U1276 1-3/8"
U1277 1-1/2"	U1278 1-5/8"	U1279 1-3/4"
U1280 1-7/8"	U1281 2"	U1282 2-1/8"
U1283 2-1/4"	U1284 2-1/2"	
71-121 4-Piece holesaw assortment. U1240 mandrel, U1272, U1271, U1273 saws.		
71-120 5-Piece holesaw assortment. U1241 mandrel, U1275, U1277, U1281, U1282 saws.		

Hole Saws, Welded Edge High Speed Steel, for Metal, Wood, Plastics, and Laminates

Saws are interchangeable on mandrels as indicated. Sizes are outside dia.

71-285 Mandrel (3/8" shank). Holds 3/4" to 1-1/8" saws below.		
71-286 Mandrel (7/16" shank). Holds 1-1/4" to 2-1/2" saws listed below.		
71-287 Standard pilot drill.		
71-271 3/4"	71-272 7/8"	71-273 1"
71-274 1-1/8"	71-275 1-1/4"	71-276 1-3/8"
71-277 1-1/2"	71-278 1-5/8"	71-279 1-3/4"
71-280 1-7/8"	71-281 2"	71-282 2-1/8"
71-283 2-1/4"	71-284 2-1/2"	

Wood Boring Bits

Cut hard or soft wood. Long life. Can be resharpened. For use in any electric drill except those over 3200 rpm.

70-370 1/4"	70-371 5/16"	U1661 3/8"
70-373 7/16"	U1662 1/2"	U1663 9/16"
U1664 5/8"	U1665 11/16"	U1666 3/4"
U1667 13/16"	U1668 7/8"	70-381 15/16"
U1669 1"	70-383 1-1/8"	70-384 1-1/4"
70-385 1-3/8"	70-386 1-1/2"	
U1660 12" Wood boring bit extension.		
U1670 6-Piece Wood Boring Set. 3/8", 1/2", 5/8", 3/4", 7/8", and 1". Use in portable electric drills or drill presses. In pouch.		


Carbide Tipped Masonry Bits

To drill brick, cement, concrete block, and similar masonry materials. The following fit 1/4", 3/8" & 1/2" electric drills. Diameter & length listed.

70-390 1/8" 3"	U1550 3/16" 4"	U1551 1/4" 4"
70-396 1/4" 12"	U1552 5/16" 4"	70-397 5/16" 12"
U1553 3/8" 4"	U1557 1/2" 4"	

The following fit 3/8" and 1/2" electric drills.

70-398 3/8" 12"	U1554 1/2" 6"	70-399 1/2" 12"
U1555 5/8" 6"		
U1556 3/4" diameter, 6" long for 1/2" electric drills.		
71-006 Bit Set. Includes U1550, U1551, U1552, U1553, U1557.		





U1450


Discs

U1320

U1930 Screw Driver Attachment

No more tiresome hand screw driving. Fits most drills. Includes U1377 Screwdriver Bit with Finder for #8 to #10 slotted screws. Can be used with Nos. U1373 to U1375 Phillips Head screwdriver bits. Nos. U1376 & U1378 slotted Screwdriver Bits with Finders and U1379 7-piece socket set.

U1011 Heavy Duty Screw Driving Attachment



U1382 Variable Speed Screwdriver Bit and Socket Set

Perfect for use with Variable Speed Drills and U1011 and U1930 Screwdriving Attachments. Includes U1373 #1 Phillips bit, U1374 #2 Phillips bit, U1376 slotted screwdriver bit with finder for screw sizes 6 to 8, U1377 slotted screwdriver bit with finder for screw sizes 8 to 10, U1379 7-piece socket set, and 1/4" square drive socket adapter.

Phillips Screwdriver Bits

U1373 #1 Phillips Bit
U1374 #2 Phillips Bit
U1375 #3 Phillips Bit

Slotted Screwdriver Bits

U1376 for sizes nos. 6-8
U1377 for sizes nos. 8-10
U1378 for sizes nos. 10-12

71-373 6-Piece Screwdriver Bit Set

Includes 6 bits listed above: U1373 through U1378.

U1379 7-Piece Socket Set

For use with variable speed drills & U1011 & U1930 Screwdriving Attachments. Includes 3/16", 1/4", 9/32", 5/16", 11/32", 3/8" sockets & 1/4" sq. drive socket adapter.

71-372 Double End Screwdriver Bit Set

For use with variable speed drills & U1930 & U1011 Screwdriving Attachments. Two versatile screwdriver bits for Phillips and slotted screws.



U1588 Screwdrill and Countersink Set

Five screw drills that drill proper size holes for screw threads and screw body. Makes it easy to turn screw into wood. Eliminates wood splitting. Countersinks head to proper depth. Sizes cover range of No. 4 to 12 screws. 1/4" shank fits all portable drills.

Adjustable Countersink and Screw Pilots

Drills any pre-set depth for correct length, drills hole for screw threads, drills hole for screw body, countersinks for screw head, counterbores for putty or plug — all at one time! Use in wood or composition. 1/4" shank fits any power drill or hand drill.


U1592 5, 6, 7 wood screws **U1594** 9, 10, 11 wood screws
U1593 7, 8, 9 wood screws **U1595** 11, 12, 14 wood screws

Screw Extractors

These sets consist of a drill bit and an extractor.

	Screws & bolts head diameters	Drill size	Extractor No.
70-500	3/16" to 1/4"	5/64"	1
70-501	1/4" to 5/16"	7/64"	2
70-502	5/16" to 7/16"	5/32"	3

70-505 Screw extractor set. Use with your drill bits. For head diameters from 3/16" to 3/4". Nos. 1 through 5 screw extractors in plastic pouch.



Chucks, Keys, and Chuck Key Holders

Gear Chucks & Keys. **70-010**, 1/4"; **U1536**, 3/8"; **70-012**, 1/2". Chuck Keys Only: **U1507**, 1/4" (5/32" shank); **U1508**, 1/2" (1/4" shank); **U1524**, 1/4" & 3/8" (15/64" shank); **U1529**, 1/4" & 3/8" (1/4" shank); **U1531**, 3/8" & 1/2" (11/32" shank); **U1533**, 3/8" & 1/2" (9/32" shank); **70-110**, 1/4" (13/64" shank, fits B&D chucks **74288-01**, **90584-01**, **88753-01**, **87936-01**).

Chuck Key Holder. **U1535**. Prevent loss or mislaid chuck keys. For all drills.



79-250 U2206

5" Sanding Discs

Use these sanding discs with backing pad to convert electric drill for sanding. Packages 3 or 5 discs in grits from 24 to 120.

U1302 5" Backing Pad

For attaching bonnets and pads to drills with speeds of 3200 rpm or less.

U2206 Wheel Arbor

For attaching grinding wheels, wire brushes, buffing wheels to most makes of 1/4" to 1/2" power drills. 1/2" diameter body, 1/4" shank.

U1320 Cotton Buff

Professional quality buffing wheel. 3" dia., 1/2" arbor hole. Also in 4" and 6" diameter.

U1310 5" Polishing Bonnet

For polishing. Use with U1302 backing pad.

U1450 Polishing and Sanding Kit

Everything needed for sanding & polishing with electric drill. Includes wheel arbor, backing pad, polishing bonnet, & assorted sanding discs.

79-250 Abrasive Wheel

2" x 1/2" x 1/2" medium. 6220 Max. RPM.



U1579 Drill Assortment Assortment (left)

Includes wheel arbor, paint mixer, polishing bonnet, cotton buff, grinding wheel, backing pad, assorted sanding discs, & 3 piece drill bit set.

70-210 Right Angle Polishing Kit (right)

Lets you polish or sand at any angle with portable electric drills. Includes **70-200** right angle attachment (also sold separately), polishing bonnet, assorted sanding discs, backing pad, and wheel arbor.



Wire Brushes

Use cup and wire wheel brushes for material removal & grinding. 5000 rpm maximum. Be sure to wear eye protectors. (**72-005** Safety Goggles)

WIRE CUP BRUSHES: **70-112**, 1-1/2" fine; **70-114**, 2-1/2" fine; **70-111**, 1-1/2" coarse; **70-113**, 2-1/2" coarse; **70-115**, 3" coarse. **WIRE WHEEL BRUSHES:** **70-120**, 2" coarse; **70-121**, 2" fine; **70-130**, 3" coarse; **70-131**, 3" fine; **70-140**, 4" coarse; **70-141**, 4" fine. **DELUXE WIRE WHEEL BRUSHES:** **70-132**, 3" coarse; **70-133**, 3" fine; **70-143**, 4" fine; **70-142**, 4" coarse.

79-253 Cushioned-Action Polishing/Sanding Kit

Multi-purpose flexible 3" flat and 3" cone shaped elastomeric wheels with imbedded aluminum oxide abrasive grit. Sand, sharpen, polish, and blend surfaces. Includes **79-251** 3" Flat and **79-252** 3" Cone Cushioned-Action Abrasive Polishing Wheels. **U2206** Wheel Arbor. 3600 Max. RPM.

U1509 Paint Mixer

A highly efficient and fast way to mix paint. Stirs up to a gallon can. Fits most makes and sizes of power drills. Use with water base paint only.





Rotary Files

For shaping metal, 1/4" shanks. **70-961**, conical rotary file; **79-960**, cylindrical rotary file.

Rotary Rasps

For shaping edges of all types of wood, plastic, compositions, 1/4" shanks. **70-950**, cylindrical rotary rasp; **70-951**, cylindrical domed rotary rasp; **70-953**, spherical rotary rasp; **70-952**, conical rotary rasp.


70-959 Rotary Rasp and File Set

Two versatile accessories. Includes **70-970** cylindrical rotary rasp and **70-960** cylindrical rotary file.

U1584 1/2" Carbon Steel Rasp and Countersink
Makes countersink holes up to 1/2" diameter in wood and compositions. Can also be used as a rasp for material removal along edges of wood and compositions. 1/4" shank.

70-970 Shaping Set

Permits 3 kinds of shaping cuts using a drill instead of a router. Has rotary router guides to eliminate friction burn on wood. Includes: 1/4" corner round, beading, and bevel cutters; arbor, washer guides.



Door Lock Installation Kits

For easy, fast & accurate installation of door lock sets & dead bolts. Exclusive drill guide & latch locator pin assist in proper alignment. Hole saws are carbon steel for use on wood doors. Each set contains hole saw, mandrel, 1" spade bit, drill guide, & latch locator pin: **79-352**, 2-1/8" hole saw; **79-353**, 1-7/8" saw; **79-354**, 1-5/8" saw; **79-355**, 1-1/2" saw. The following kits have 7/8" spade bit (instead of 1"); **79-356**, 1-1/2" saw; **79-357**, 2-1/8" saw.

79-350 Surface Mount Kit

For installation of surface mounted door locks in wood doors. Includes 1-1/4" hole saw, mandrel, & drill guide.

79-351 Starter Kit

Use with hole saws & spade bits during installation.

79-800 Drill Bit Sharpener Attachment

Exclusive. Unique power drill attachment for sharpening dull or broken carbon & high speed steel twist bits from 1/8" to 3/8" (doesn't resharpen carbide-tipped bits). **79-520** Replacement Grinding Wheel for **79-800**.

79-936 Drill Press Stand

Converts a portable drill to a precision bench drill press for controlled drilling, sanding, grinding, & polishing. Holds B&D & most other 1/4" & 3/8" drills.

72-100 Universal Horizontal Drill Stand

Holds drill in horiz. position to free both hands when grinding, sanding, etc. Fits B&D & most 1/4" & 3/8" drills.

70-439 High Speed Drill Saw

Drills its own hole through wood, metal, plastic and other materials — then saws, reams, & cuts any shape opening. Use with any 1/4" electric drill.

70-935 Flexible Shaft

Insert accessories into the 1/4" chuck and use this 40" flexible shaft for sanding, buffing, grinding, polishing, forming, and drilling in restricted areas. Fits 1/4" & 3/8" electric drills. Shaft is replaceable.



(A) Stick on Sanding Disk Kits

Abrasive cloth (outlasts sandpaper) sticks firmly (pressure sensitive) to flexible pad; easy to remove. Disc can be cleaned with a stiff brush & reused. Kits include sanding discs, backing pad, 1/4" steel arbor. **74-800**, 5" and 2-1/2". **74-801**, 7" and 2-1/2". Disc refills available.

(B) Flexible Sanding Wheels

Disposable flap sanding wheels for general purpose sanding on wood, metal or fiberglass. Sands & buffs contoured & flat surfaces together. As abrasive cloth wears on ends, it is slowly used up. Includes 1/4" steel arbor. **74-807**, 5" medium grit; **74-808** 5" coarse; **74-813**, fine.

(C) Contour Sanding Wheels

Gets into contours, corners, grooves & other hard-to-reach places. 8 ft. of 1-1/2" slashed abrasive cloth inside the hub of the wheel. Each flap is supported by a firm, yet flexible, back-up comb. Sands high & low areas at the same time. Fits all electric drills. **74-809**, Contour Sanding Wheel Kit. Refills: **74-810**, medium grit; **74-811**, coarse; **74-812** fine.

(D) Barrel Sanders

1", 2", & 3" barrels for hard-to-sand areas on wood, metal, & fiberglass. Pressure-sensitive abrasive cloth strips stick firmly to the barrels. Easily cleaned with stiff brush for reuse. **74-805** Barrel Sanding Kit, includes 3 barrels, 9 abrasive strips. Refills: **74-806**, 9 assorted strips.




74-817 Mower Blade Sharpening Kit

Sharpens and balances all models of rotary lawn mower blades. Fits on all electric drills. Kit includes two industrial grade abrasive cloth 7" discs with self-sticking adhesive back, backing pad, arbor, & blade balancer.

Drill Stops

Finger tighten at any position on drill bit to prevent drilling too deeply. **U1577**, for 1/16" to 1/4" bits; **U1578**, for 1/4" to 1/2" bits.



(A) 79-970 Cord Winder

Permits you to have two 120v ac electrical outlets up to 23 ft. away from any electrical outlet inside or outside your home, garage, marina, trailer camp, etc. 23 ft. extension cord is coiled inside the lightweight, crack-resistant housing. Housing protects cord, eliminates tangling. Heavy-duty cord stays flexible in cold weather. Built-in circuit breaker for the two electrical outlets. Handle makes rewinding of cord easy. Compact, easy to store and carry. UL listed. Rated to 10 amps.

(B) 79-989 Extension Cord Keeper

Holds up to 150 ft. of extension cord for convenient storage. Easy to wind cord onto holder. Protects cord. Keeps it neat.

(C) Extension Cords

16 gauge with tough vinyl insulation. Easily visible orange color, 3-wire round cable for all double insulated tools. Female plug molded to fit directly into B&D tools with detachable cord feature.

79-995 15' 16/3 (three wire) **88-050** 50' 16/3 (three wire)

79-994 25' 16/3 (three wire) **88-100** 100' 16/3 (three wire)

(D) 80-305 Cord Connector

Holds cords together.



Jig Saw Blades

BLADE TYPE	MODEL NO.	TYPE OF CUT	SPEED OF CUT	BLADE LENGTH	TEETH PER IN.
Set tooth	U1350	Rough	Fast	3"	7
Set tooth	U1351	Medium	Medium	3"	10
Set tooth	U1347	Rough	Fast	3"	7
Double cutting	U1348	Medium	Medium	3"	10
Hollow ground	U1364	Medium	Fast	3"	5
Hollow ground	U1363	Smooth	Med/fast	3"	7
Hollow ground	U1352	Smooth	Medium	3"	7
Hollow ground	U1362	Fine	Medium	3"	10
Flare ground	U1367	Rough	Fast	4"	6
Flare ground	U1365	Medium	Medium	4"	10
Flare ground hollow ground	U1360	Smooth	Medium	4"	6
Flare ground hollow ground	U1361	Smooth	Medium	4"	6
Flare ground hollow ground	U1359	Ex. Fine	Medium	4"	10
Metal cutting	U1354	Medium	Medium	2-3/4"	14
Metal cutting	75-156	Smooth	Medium	2-3/4"	18
Metal cutting	75-157	Fine	Slow	2-3/4"	24
Metal cutting	U1355	Vy. Fine	Slow	2-3/4"	32
Skip tooth	U1349	Rough	Fast	3"	5
Skip tooth	75-170	Rough	Fast	6"	5
Set tooth	75-171	Medium	Medium	6"	7
Plaster cutting	U1346	Rough	Fast	3-5/8"	9
Scroll cutting	U1369	Smooth	Medium	2-3/4"	10
Knife blade	U1365	Smooth	Medium	2-1/2"	Knife
Flush cutting	U1344	Rough	Fast	3"	7
Coarse carbide coated	75-192	Rough	Fast	3"	Carbide
Medium carbide coated	75-191	Medium	Medium	3"	Carbide
Fine carbide coated	75-190	Smooth	Slow	3"	Carbide
Flush cutting, carbide coated	75-193	Medium	Medium	3-1/4"	Carbide



Jig Saw Blade Sets

"Select-A-Blade" Assortments. Chart gives proper blade for job. U1337, 10 blades including: U1348, U1350, U1351, U1362, U1363, U1368, U1354, (2) U1355, & U1346. U1339, 15 blades: (2) U1350, (2) U1351, U1362, U1363, U1364, U1344, U1347, U1348, U1349, U1368, U1354, U1355, & U1365.

Money Saving Jig Saw Blade Assortments

75-600, 6 blades in plastic pouch: U1350, U1351, U1354, U1355, U1362, U1368. 75-606, 6 wood cutting blades: U1350, U1351, U1368, U1362, U1346, U1359. 75-604, 4 metal cutting blades: U1354, 75-156, U1355, 75-157. 75-610, Value Pack, 5 blades: U1349, U1350, U1351, U1354, U1355.

U2151 Rip Fence & Circle Cutting Guide

Permits ripping without a penciled guide line and circle cutting with 7578, 7566, 7504, 7530, 7580, 7560, jig saws. Fits former models 7514, 7524, 7538, 7537, 7517, 7515, 7545, 7535, 7590.



Universal Reciprocating Saw Blades

2 blades per package.

75-270	General-purpose wood cutting blade	6" long, 7 teeth/in.
75-271	Fast wood cutting blade	6" long, 3 teeth/in.
75-272	Fine wood cutting blade	6" long, 18 teeth/in.
75-273	Nail-embedded wood cutting blade	6" long, 10 teeth/in.
75-280	High speed metal cutting blade	6" long, 18 teeth/in.
75-281	High speed scroll metal cutting blade	3" long, 18 teeth/in.
75-282	High speed light metal cutting blade	4" long, 24 teeth/in.
75-283	High speed metal cutting blade	4" long, 18 teeth/in.
75-284	High speed metal cutting blade	4" long, 14 teeth/in.
75-285	High speed metal cutting blade	6" long, 14 teeth/in.
75-290	Coarse pruning blade	9" long, 3 teeth/in.

CIRCULAR SAW BLADES



CARBIDE TIPPED BLADES

Carbide tipped blades substantially outlast conventional blades. They keep their cutting edge longer – and, because the tips are so hard, you can take on hard-to-cut materials that you shouldn't tackle with ordinary steel blades. Available in 5-1/2" to 12" diameters for portable & stationary saws, and in 8 to 60 tooth configurations for cutting everything from wallboard, Homosote, Masonite®, & Formica® to fine hardwoods & nonferrous metals such as aluminum, brass & copper.

8 Tooth.

For tough-to-cut materials such as wallboard, Homosote, Formica®, Masonite®, Also for wood. 5/8" round arbor. Diameters listed. 73-361, 6-1/2"; 73-362, 7-1/4"; 73-363, 8".

12 to 28 Tooth Blades

Chisel tooth configuration for fast, general purpose cutting in wood, particle board, hardboard, wallboard, plastic & laminates. 5/8" round arbor with 13/16" diamond knoout (unless noted). Diameter & no. of teeth listed with part no. 73-364, 6-1/2"; 12; 73-365, 7-1/4"; 12; 73-366, 8"; 12; 73-365, 5-1/2"; 16, 1/2" round arbor; 73-368, 6-1/2"; 20; 73-369, 7-1/4"; 20; 73-370, 8"; 20; 73-371, 9"; 28, 1/2" & 5/8" round arbor, no knoout; 73-372, 10", 28, no knoout.

40 to 60 Tooth Blades

Make smooth, almost splinter-free cuts in wood, wallboard, plastic, & laminates. 5/8" round arbor (unless noted). Diameter & no. of teeth listed with part no. 73-373, 6-1/2"; 40, with diamond knoout; 73-374, 7-1/4"; 40, with diamond knoout; 73-375, 8"; 40, with diamond knoout; 73-376, 9"; 40, 1/2" & 5/8" arbor; 73-377, 10"; 40; 73-378, 12"; 40; 73-379, 9"; 60, 1/2" & 5/8" arbor; 73-380, 10", 60.

PREMIUM QUALITY BLADES

Supershar circular saw blades... sharper, quieter, cleaner-cutting, longer lasting than ordinary blades. This revolutionary manufacturing process provides a more uniform sharpness on the cutting edge of the teeth for a fast, smooth cut every time. Hard, industrial chrome plating to give twice the cutting life of unplated blades, improves wear resistance, protects against rust and other corrosion, and reduces gum or resin build-up on teeth.

Combination

Chisel tooth configuration means this is the fastest cutting blade in our line. Specifically designed for general purpose ripping and cross-cutting where the cut finish is not the most desired effect. Diameters, no. of teeth, & round arbor size listed. 73-100, 5-1/2"; 24, 1/2"; 73-106, 6-1/2"; 18, 5/8"; 73-107, 7-1/4"; 20, 5/8"; 73-108, 8", 22, 5/8".

Framing/Rip

An all-purpose blade for smooth, fast cutting in any direction. Rips, crosscuts, mitres, etc. Fast, smooth finishes when cutting with the grain of both soft & hard woods. Arbors are 5/8" round. Diameters and no. of teeth listed. 73-136, 6-1/2"; 40; 73-137, 7-1/4"; 40; 73-138, 8", 40.

Metal Cutting

Teeth are shaped and set specifically for cutting aluminum, copper, lead and other soft metals. Arbors are 5/8" round. Diameters & no. of teeth listed. 73-186, 6-1/2"; 64; 73-187, 7-1/4"; 68; 73-188, 8", 76.

Hollow Ground Planer

For very smooth finish cross-cuts, rips, & mitres in all solid woods. Eliminates need for sanding. 5/8" round arbors. Diameter & no. of teeth listed. 73-156, 6-1/2"; 44; 73-157, 7-1/4"; 48; 73-158, 8", 52.

Steel Cutting Friction

For cutting corrugated or sheet roofing, black iron, furnace pipe, or thin bar stock. Cuts by friction action. 5/8" round arbor. Diameter & no. of teeth listed. 73-196, 6-3/8"; 16; 73-197, 7-1/8"; 16.

Cross-Cut

For smooth, fast cutting across the grain of hard & soft woods where finish is important. Also rips hard woods. 5/8" round arbor. Diameter & no. of teeth listed. 73-126, 6-1/2"; 90; 73-127, 7-1/4"; 100; 73-128, 8", 100.

Plywood

Finely ground teeth cut with minimum splintering in plywood, paneling, veneers, celotex, thin plastics, etc. Diameter & no. of teeth listed. 73-145, 5-1/2"; 110, 1/2" rd. arbor; 73-283, 9"; 180, 1/2" & 5/8" rd. arbor; 73-284, 10", 200, 5/8" rd. arbor.

Hollow Ground Plywood

Produces very smooth cuts in plywood, veneers, & laminates, etc. 5/8" round arbor. Diameter & no. of teeth listed. 73-146, 6-1/2"; 130; 73-147, 7-1/4"; 140; 73-148, 8"; 150; 73-289, 9"; 180 (1/2" & 5/8" rd. arbor); 73-290, 10", 200.

STANDARD QUALITY BLADES

Outstanding value for the price. Made from the highest quality spring steel and coated with enamel to resist gum & resin build-up on the teeth. Available in the four most popular types of blades to cut all types of wood: combination, plywood, cross-cut, & framing/ripping.

TEFLON-S COATED

Teflon coated blades have three advantages: (1) less heat from friction, thus blade stays sharper longer, (2) blades resist rust, (3) decreased drag & glue build-up during the cutting of resinous, wet or green lumber, such as plywood, paneling, uncured & or pitch-filled woods. Available in combination and plywood tooth configurations.

ABRASIVE DISCS

Highest quality grit gives longer life. Fast cutting. Reinforced with fiberglass to give longer life; makes blades highly break resistant. Available in two types: metal cutting and masonry/tile cutting. Metal cutting blades are aluminum oxide; cut steel, cast iron, stainless steel, and hardened non-ferrous metals (hard brass, aluminum, bronze). Masonry/tile cutting blades are of silicon carbide, cut masonry materials, concrete, soft brick, cinder block, asbestos, cement, concrete block, gypsum wallboard, Transite, limestone, sandstone, corrugated plastic & soft non-ferrous metals.

CIRCULAR SAW BLADE SETS

73-303 Premium Quality 5-1/2"

73-100, cross-cut & rip, 24 teeth; and 73-145, plywood, 110 teeth.

73-301 Standard Quality 5-1/2"

73-005, combination, 24 teeth; 73-025, cross-cut, 80 teeth; and 73-045, plywood, 110 teeth.

73-300 Standard Quality 7-1/4"

73-007, combination, 20 teeth; 73-027, cross-cut, 100 teeth; and 73-047, plywood, 140 teeth.

73-302 Standard Quality 7-1/4"

73-007, rip and cross-cut, 20 teeth; 73-047, plywood, 140 teeth.



73-300

73-515 Cutting Guide

8 ft. capacity cutting guide for use with all makes of circular saws, jig & sabre saws, & routers. Good for cutting paneling, plywood, Masonite & wallboard. Includes 2 non-marring clamps to hold guide to material.

U1812 Saw Protractor

Permits accurate cutting at 0 to 90 angles. Saves time and effort on all angle cuts.

U1918 Adjustable Cut-Off Guide

Adjusts for any angle from 0 to 45. Use as a handy square or bevel for transferring inside corner angles.

U1915 Rip Fence

Attaches to all B&D circular saws except 7300, 7393, 7301, 7304, 7307, 7308, 7310, 7334, 7324, 7390, 7394, 7391, 7392, 7356 for fast, smooth, rip cuts.

73-501 Rip Fence

Attaches to 7300, 7393, 7301, 7307, 7308, 7310, 7304, 7324, 7334, 7356, 7390, 7394, 7391, 7392 B&D circular saws for fast rip cuts without guide lines.

70-220 Sawhorse Brackets

Self-mounting sawhorse brackets attach quickly to 2" by 4" lumber. One 70-220 makes one sawhorse.

SAFETY EQUIPMENT

Designed for increased convenience & comfort when operating power equipment.

72-000 Protective Spectacles

72-005 Safety Goggles.

72-001 Dust Mask

72-002 Mask Filters (5)

Use with 72-001.

72-003 Ear Plugs

72-004 Hearing Protector



ABRASIVE CLOTH AND PAPER SHEETS

Pressure sensitive stick-on cloth sheets in 1/3 (3-5/8" x 9") & 1/2" (4-1/2" x 11") sizes. 2 sheets & 2 conversion pads for attaching cloth.

Grit	1/3 sh.	1/2 sh.
Fine	74-830	74-833
Medium	74-831	74-834
Coarse	74-832	74-835

Aluminum oxide paper sheets for planer-type power sanders. 6 per pkg. (not stick-on)

Grit	1/3 sh.	1/2 sh.
60	U1413	U1416
100	U1414	U1417
150	U1415	U1418



U1405 Assortment of 6 3-5/8" x 9" sheets

74-404 Assortment of 25 3-5/8" x 9" sheets

ABRASIVE BELTS


Open coat aluminum oxide abrasive sanding belts for B&D & other sanders.

		Grit		Grit
74-501	3 x 18"	60	74-522	3 x 24"
74-502	3 x 18"	80	74-523	3 x 24"
74-503	3 x 18"	100	74-524	3 x 24"
75-511	3 x 21"	60	74-525	3 x 24"
74-512	3 x 21"	80	74-541	4 x 21-3/4"
74-513	3 x 21"	100	74-542	4 x 21-3/4"
74-521	3 x 24"	60	74-543	4 x 21-3/4"

*closed coat

Abrasive Discs

Sanding discs, polishing pads/bonnets and backing pads are available for 6", 7" and 8" disc sanders and polishers.



ROUTER BITS

Black & Decker has a large selection of high speed steel and carbide-tipped router bits for a wide range of cutting and shaping operations. Bits have one, two, or three flutes. Carbide tipped bits are recommended for use on tough or abrasive materials such as hardwood, plastic laminates, glue bonded plywood, and composition materials. Carbide bits are also recommended for production cutting operations because they greatly exceed the operational life of high speed steel bits. Types of bits available are:

Straight	Roman ogee	V-grooving
Veining	Panel pilot	Chamfering
Hinge mortising	Laminate trimming	Beading
Dovetail	Rabbeting	Ogee
Cove	Core box	Spiral trimming
Corner round		

Router Bit Sets

Some of the most useful router bits are packaged together in convenient storage cases at savings over purchasing each bit individually.

76-308 8 pc Arbor-Type Set

Includes: 3/8" rabbeting, 3/8" corner round, 3/16" Roman ogee, 5/16" beading, 3/8" cove cutters, 1/4" arbor with pilot; case.

76-306 6 pc Arbor-Type Set

3/8" rabbeting, 3/8" corner round, 3/16" roman ogee, 1/4" arbor with pilot, storage case.

U2499 4-piece Router Bit Set

Includes four of the most popular bits in a plastic case. Three straight bits (1/8, 1/4, & 3/8") and one corner round bit.

U2498 3-piece Router Bit Set

Includes three popular bits in a plastic case. Two straight bits (1/8 & 1/4") and one corner round bit.

76-313 3-piece Router Bit Set

Includes 1/4" straight, 3/8" rabbeting, and 1/4" Roman ogee bits.

76-315 5-piece Router Bit Set

Includes 1/4" straight, 1/8" veining, 1/2" core box, 3/8" corner round, and 3/8" V-grooving.

76-350 Carbide-Tipped Trimming Set

Includes three of the most used carbide tipped cutters for trimming Formica®. 1/4" straight bit (single flute), 1/2" veneer flush center (2 flutes) with bearing, 1/2" 22 bevel cutter (2 flutes) with bearing. In reusable plastic storage box.

76-400 Deluxe Router Table

Converts a router to a bench shaper, adds stability & convenience to routing operations. Equipped with fence, guard, & a mitre protractor. For use with B&D routers (except 7666) & most other makes. Molded. Table 17-3/4 x 13-3/4"

76-401 Router/Jig Saw Table

Economy version of above. 17-3/4" x 12-3/4" metal table.

76-232 Router Pantograph & Design Maker

Makes relief-carved wood signs, plaques, & decorations in 40, 50 & 60% reductions from original pattern. Can be used with routers having a 6" dia. or less base. Use straight & V-groove router bits. Includes pantograph, 40 sheets of letter, number, and design patterns. Mount to plywood or workbench. Plywood, router, & bits are not included.

76-233 Router Guide for Letters & Numbers

The guide is used to accurately rout nameplates & signs. Can be used with most routers. Template guide bushings for B&D routers are included. Letters, numbers, punctuation in 2-1/2" & 1-3/4" sizes. Use with straight or V-groove bits (not included).

76-300 Router Craft Handbook

For persons interested in performing serious woodworking jobs with a router. 160 pgs. Fully illustrated.

76-909 Router Bit Case

Keeps bits orderly & helps to prevent damage to their edges. Holds 26 1/4" bits & 2 wrenches (bits & wrenches not included).



IF WE PUT OUR NAME ON IT, YOU CAN PUT YOUR TRUST IN IT.

Today, in a time when quality and value mean more than ever, Black & Decker is strengthening its commitment to producing products of the highest possible quality.

To do this we have established a Total Quality Assurance program that starts with product design and development, involves every phase of manufacturing and continues years after the sale of the product, through responsive, reliable service.

DESIGNED FOR PERFORMANCE, ENGINEERED TO LAST

Black & Decker Total Quality Assurance involves designing and engineering quality and reliability into a product during the conceptual stage. A project team of engineers from Quality Assurance, Marketing, Engineering and Manufacturing establishes product specifications for performance, strength, durability and ease of operation. Competitive tool evaluations assure that Black & Decker's products outperform the best on the market.

EXTENSIVE TESTING WITH RIGID CONTROLS

Every part, every tool has an individual quality plan for inspection and testing. It begins during the development stage and continues through manufacturing. All Black & Decker employees, operators, as well as inspectors, are responsible for quality

assurance. In fact, as many as 2000 quality checks may be conducted before the manufacturing process is complete. And finally, tools are subjected to demanding life tests which are geared to push the tool far beyond normal usage.

ADVANCED MANUFACTURING TECHNOLOGY MEANS COST EFFECTIVE QUALITY

Black & Decker's manufacturing facilities use the most advanced technologies in the industry. For example, high precision magnesium parts are manufactured by a unique hot chamber process which eliminates a costly machining operation. In motor manufacturing, the armatures and fields have automated winding, welding and resin impregnation to increase motor life. And each motor is computer-balanced to control vibration.

AFTER-SALE SERVICE, WHEN AND WHERE IT'S NEEDED

Black & Decker quality doesn't end with the production line. It continues long after the product is sold and is backed by over 100 factory-owned Service Centers and over 125 Authorized Service Centers across the country, each staffed by technicians, factory-trained to provide responsive, reliable service. See Tools-Electric in the Yellow Pages.

IF YOU WANT TO

Keep up with the latest developments in B&D products,
Get in on special B&D money saving offers

FILL IN AND MAIL COUPON BELOW

We will keep you up-to-date on do-it-yourself power tool
developments. Give you opportunities to save money on special
sales and rebates.

FREE OFFER . . . NO COST OR OBLIGATION

TO: Black & Decker
P.O. Box 171
Hampstead, MD 21074

Put me on your list of selected customers for new tool ideas and
money saving opportunities.

NAME _____

STREET ADDRESS _____

CITY _____ STATE _____ ZIP _____